



Oxford
WE'VE GOT IT COVERED

**WORKSITE
SAFETY
PRODUCTS**

tele  **cron**
telecroatian network

2022



Contents

CONTENTS PAGE	3	▶ SAFEGATE®	36
INTRODUCTION	4	▶ VANTAGE BARRIER	37
SUSTAINABILITY	6	▶ WATCHMAN® BARRIER 1	38
LATEST INNOVATIONS	8	▶ WATCHMAN® BARRIER 2	39
PRODUCT RANGE		▶ OXFORDWALL®	40
TRENCH COVERS AND ROAD PLATES	10-23	▶ FENCE PIN	41
PRODUCT OVERVIEW	12	FENCE FEET AND HEAVY BASES	42-51
LOWPRO® TRENCH COVER GUIDE	13	▶ OXSTAND®	44
▶ LOWPRO®100 NARROW TRENCH COVER	14	▶ TEMPORARY FENCE WEIGHT	45
▶ LOWPRO® 11/11 TRENCH COVER	16	▶ OXBLOCK	46
▶ LOWPRO® 12/8 TRENCH COVER	17	▶ EVEREST OXBLOCK BALLAST	47
▶ LOWPRO® 15/10 TRENCH COVER	18	▶ SOLE BOARD	48
▶ ACCESSORIES	19	▶ SQUARE BASE	49
▶ LOWPRO® 15/05 ROAD PLATE	20	▶ OCTAGONAL BASE	50
▶ LOWPRO® 23/05 ROAD PLATE	21	▶ EURO BASE	51
▶ 12/8 SAFE COVER	22	TRAFFIC MANAGEMENT	52-57
▶ 16/12 SAFE COVER	23	▶ ENDURASIGN QUICKFIT FRAME®	54
WHEELCHAIR RAMPS	24-27	▶ ENDURASIGN BALLAST WEIGHT™	55
▶ SAFEKERB RAMP	26	▶ HIGHWAYMAN CONE SYSTEM	56
▶ SUPAGRIP® RAMP	27	▶ NO WAITING CONE	57
BARRIERS AND FENCING	28-41	MATS AND GROUND PROTECTION	60-63
▶ AVALON® BARRIER	30	▶ ENDURARAMP™	60
▶ BALLAST TRAY	31	▶ CLEARPATH® MAT	61
▶ STRONGWALL® BASE BALLAST	32	▶ ENDURAMAT™	62
▶ STRONGWALL® & STRONGFENCE	33	▶ ENDURAGRID™	63
▶ ENDURAFENCE™	34	PRODUCT INDEX	64-69
▶ LANTIS® BARRIER	35	CONTACT US	70



Solving problems for safer working.

Since 1985, Oxford Plastics has been dedicated to helping industrial workers do their jobs safely and efficiently.

Our award-winning range of intelligent, compliant, problem-solving products are creating safe working environments for people across a host of industries – including highways, utilities, events and streetworks; as well as the industrial, civil engineering and construction sectors.

We also collaborate closely with the Departments for Transport and industry leaders around the world, such as JAG, HAUC, NJUG and REMA, ADA and respected professors of Engineering. This ensures safety standards and product integrity are not only met, but consistently exceeded.

As the world changes, so do we. We're committed to creating even better solutions and delivering even better service, so our customers always know that whatever challenges they face, we've got it covered.

Dedicated to sustainability

Oxford Plastics is driven by a commitment to sustainability. We build the circular economy into our products by designing them to be long-lasting, repairable and recyclable. In 2022 we're building on this commitment further by focussing on the 'Right to Repair', making sure spare parts are available to equipment users. The pallets, cardboard and paper from our production units are fully recycled, and as our business grows, we're finding new ways to reduce our carbon footprint and create more sustainable products.

Our unique closed loop manufacturing process means that 75% of our products are manufactured from recycled plastics (we're working on the rest), while 100% of our products can be recycled or recovered for energy.

Committed to customer support

We know how important it is to support our customers at every stage, providing technical assistance and on-site product and safety training wherever and whenever it's needed.

From a single manufacturing unit at Enstone Airfield, Oxfordshire, we've grown into a recognised global innovator with over 120 employees and offices in Germany, the USA and Australia.

Our greatest asset? Our people. We bring together experts from a diverse range of backgrounds, including materials specialists, chemists and engineers. All drawing on experience that encompasses construction, civil engineering, manufacturing, retail and technology.

Through rigorous testing and product development, we supply thousands of British-designed and manufactured patented site safety solutions to a global market. In all, our expertise is shared across more than 30 countries worldwide; from the USA and Europe to Australia and New Zealand.



Sustainability through the supply chain

OUR SUSTAINABILITY OBJECTIVE

In 2022 we will define the carbon emissions of our products to enable our customers to reduce their carbon footprint through informed choices.

WHAT THIS MEANS TO OUR CUSTOMERS

In 2019 the Construction industry was responsible for 38% of global carbon emissions. By working together, we can invest in the circular economy, lower emissions and reduce our impact on the planet.

Our ESG Framework

Our people, business values & ethics.
Long term targeting of CO₂ emissions by reducing our site and product carbon footprint.

Our Customer's ESG Framework

Servicing demands for innovative ECO product solutions to reduce CO₂e within the supply chain.

Product Design

Designing in recyclability, transportability, repairability and durability to our products.



Recycled Materials

Increasing the use of recycled plastic as a source material.

End of Life

Ethically disposing of products which can be returned to us, recycled and reused.

Transportability & Repairability

Reducing CO₂e from logistics with man liftable and compact products. Products are maintained to prolong life & usage.

Introducing our latest innovations

As a leading innovator in the manufacture of site safety equipment, we're committed to the design, creation and supply of best-in-class products for an ever-changing world. This is why the Oxford Plastics product portfolio never stands still – we continuously listen to our customers and evolve, develop and innovate our offering, to ensure we're providing best-in-class, problem-solving solutions.

ENDURASIGN QUICKFIT FRAME®

The EnduraSign QuickFit Frame is a plastic sign frame that is compatible with 300mm hole centre sign faces. The modular design means the correct signage can be quickly assembled on site. Space and weight limitations are improved in works vehicles compared to using 1 piece Chapter 8 signs.

See pages 50-51



LOWPRO® 100 NARROW TRENCH COVER

Newly launched from Oxford Plastics, the LowPro® 100. This trench cover was designed with the UK's leading fibre optics and telecoms providers.

Each 1m section is made of rubber-like recycled plastic which grips the asphalt. Pieces can be bolted together for extra stability.

With no need to be fixed down, this versatile trench cover adapts to cambers in the pavement and can even go around bends.

Quick to install and remove, ensure that fibre optics works stay on track with the new LowPro 100 Narrow Trench Cover.

See page 15



LOWPRO® 15/10 RAMP SYSTEM

The new LowPro Ramp kit completes the LowPro 15/10 system, when used with the Infill strips. Together they create a ramped platform to provide easy access for pedestrians and vehicles.

See pages 14-15





Trench Covers and Road Plates


Oxford Plastics has spent over 20 years refining the material composition, technology and manufacturing processes of our flagship LowPro Trench Covers and Road Plates range. Today, we offer the most comprehensive range of composite covers in the world, which can be used in a variety of scenarios from footways to carriageways in street works and on construction sites.

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy. Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs.

GUARANTEED
MAXIMUM LOAD WEIGHT UP TO
44
TONNES
OVER 1200MM TRENCH

OR
1 OR 2 PERSON INSTALLATION

ROAD PLATE PATENTED
DROP-PIN SECURITY



TESTED TO ENSURE A
2:1
SAFETY FACTOR

RAMPED LOWPRO EDGES
FOR SAFE ACCESS



HAUC
FULLY COMPLIANT

Product overview

LOWPRO® ROAD PLATES

LowPro refers to the rubber-like, ramped, anti-slip edges around the board or road plate. Providing excellent stability and security to your installation.



LOWPRO® 15/05 ROAD PLATE
Modular Road Plate for 700mm Trench



LOWPRO® 23/05 ROAD PLATE
Modular Road Plate for 1200mm Trench

LOWPRO® TRENCH COVERS



LOWPRO® 11/11
Anti-Slide Pedestrian Board Over 700mm Trench



LOWPRO® 12/8
Anti-Slide Pedestrian Board Over 700mm Trench - with Infill Strip



LOWPRO® 15/10
Anti-Slide Driveway Board Over 1200mm Trench - with Infill Strip

LOWPRO® NARROW TRENCH COVERS

Anti-Slide Narrow Trench Cover Over 75-100mm Trench



SAFE COVERS



12/8 SAFE COVER
Pedestrian Board Over 700mm Trench



16/12 SAFE COVER
Driveway Board over 900mm Trench

LOWPRO® TRENCH COVER GUIDE

COMPOSITE TRENCH COVERS CAN BE INSTALLED IN THE FOLLOWING SCENARIOS.

- ▶ A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.
- ▶ In some instances, road plates and trench covers must be bolted for safety, refer to the installation guide for more details.
- ▶ Trench covers have a maximum width allowance.
- ▶ Trench covers can be linked together to safely cover any length of excavation.
- ▶ The LowPro range is HAUC Compliant.
- ▶ LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.
- ▶ Trench covers must be installed centrally over the trench.

MAXIMUM TRENCH WIDTH	WHAT TYPE OF TRAFFIC WILL CROSS THE TRENCH?		
	FOOTWAY 400KG	DRIVEWAY 3.5T VEHICLE	CARRIAGEWAY 44T VEHICLE
100MM 4"	 LowPro 100	 LowPro 100	 LowPro 15/05
700MM 2FT	 LowPro 12/8 LowPro 11/11	 LowPro 15/10	 LowPro 15/05
900MM 3FT	 LowPro 15/10	 LowPro 15/10	 LowPro 23/05
1200MM 4FT	 LowPro 15/10	 LowPro 23/05	 LowPro 23/05



Narrow trenching is an installation method used for the distribution of communication infrastructure (commonly Fibre Optic cables) in roadways and footpaths.

Cables or conduits are placed into a trench no greater than 100 mm wide and 120–300 mm deep.

- ▶ **Contractors use machinery to saw into the asphalt**
- ▶ **Lay the cable**
- ▶ **Temporarily cover the trench**
- ▶ **Return later for backfilling and reinstatement**

LOWPRO® 100 NARROW TRENCH COVER

TRENCH COVER

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fibre-optic cable installations. It is suitable for 75mm-100mm wide trenches. The recycled plastic material grips the asphalt to minimise movement and provide a stable surface for pedestrians and vehicles. Available in 1m sections, the LowPro 100 is supplied with fixings to bolt pieces together.



COMPLIANCE CODE

BS 7976-2+A1:2013

PRODUCT RANGE



LOWPRO® 100 NARROW TRENCH COVER

Usage Benefits

- ▶ Designed for fibre optic cable installations & maintenance
- ▶ Suitable for Narrow-Trenching: 75mm-100mm excavations
- ▶ Low profile, sits flat against the ground
- ▶ Bends around corners
- ▶ Suitable for pedestrian traffic and vehicles
- ▶ 1m sections can securely bolt together
- ▶ Made of recycled plastic and is recyclable
- ▶ Highly slip-resistant in wet & dry conditions
- ▶ Hivis inserts for safety day and night
- ▶ Available in 20mm and 40mm depths
- ▶ Use the LowPro 11/11 over T-Junctions
- ▶ Comes with nyloc fixings

LOWPRO 100 40MM DEPTH

Product No.	O761
Width	250mm
Length	1065mm
Height	53mm
Weight	3.23kg
Quantity / Pallet	100
Colour	Black & Yellow

LOWPRO 100 20MM DEPTH

Product No.	O762
Width	250mm
Length	1065mm
Height	33mm
Weight	3.2kg
Quantity / Pallet	100
Colour	Black & Yellow



LOWPRO® 11/11 TRENCH COVER

TRENCH COVER

Pedestrian board with patented Flexi-Edge technology, suitable for the distributed load of a 1.6 tonnes vehicle over a 700mm trench.

PRODUCT RANGE




LOWPRO® 11/11 TRENCH COVER

Usage Benefits

- Extremely compact and flat making it easy to transport & store
- Can be easily lifted and installed by 1 person
- Safely cover holes and trenches up to 700mm
- Create temporary and semi-permanent footways and trench covers
- Not for use in roadway
- Enquire about minimum order quantities for customisations
- Hi-vis and anti-trip trench cover provides a safe passageway for pedestrians and vehicles up to 1.6 tonnes
- Trench covers must be installed centrally over the trench

Product No.	O825
Width	1125mm
Length	1125mm
Height	17mm
Weight	24kg
Quantity / Pallet	30
Colour	Yellow & Black



COMPLIANCE CODE

HAUC 2018/01 Footway Trench Cover

LOWPRO® 12/8 TRENCH COVER

TRENCH COVER SYSTEM

The LowPro 12/8 Trench Cover is a versatile trench cover that is suitable for pedestrians and 1.6 tonnes vehicles over a 700mm trench.

PRODUCT RANGE




LOWPRO® 12/8 TRENCH COVER

Usage Benefits

- Can be easily installed, transported and stored
- Safely cover holes and trenches up to 700mm
- Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and vehicles
- Not for use in roadway
- Prevent drifting using our patented Flexi-Edge technology and Infill connectors strips
- Patented Flexi-Edges are moulded around the whole board, creating a durable protective barrier for the trench cover
- To support pedestrians, vehicles and cargo up to 1.6 tonnes
- To be configured individually and as part of a larger system including infill strips
- Enquire about minimum order quantities for customisations
- Trench covers must be installed centrally over the trench

LOWPRO 12/8 TRENCH COVER

Product No.	O362
Width	800mm
Length	1200mm
Height	28mm
Weight	17kg
Quantity / Pallet	30
Colour	Yellow & Black



LOWPRO INFILL 12/8 SHORT

Product No.	O383
Width	150mm
Length	800mm
Height	26mm
Weight	1.5kg
Quantity / Pallet	5/100
Colour	Black

LOWPRO INFILL 12/8 LONG

Product No.	O364
Width	150mm
Length	1200mm
Height	26mm
Weight	2kg
Quantity / Pallet	5/100
Colour	Black

COMPLIANCE CODE

HAUC 2018/01 Footway Trench Cover

LOWPRO® 15/10 TRENCH COVER

TRENCH COVER SYSTEM

The LowPro 15/10 Trench Cover uses our patented Flexi-Edge technology and is a suitable driveway board for 3.5 tonnes vehicles over a 900mm trench.

PRODUCT RANGE




LOWPRO® 15/10 TRENCH COVER

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Safely cover holes and trenches up to 900mm
- ▶ Patented Flexi-Edges are moulded around the whole board, creating a durable protective barrier for the trench cover
- ▶ Prevent drifting using our patented Flexi-Edge technology and Infill connector strips
- ▶ To support vehicles up to 3.5 tonnes
- ▶ Hi-vis and anti-trip trench covers create a safe passageway for pedestrians, wheelchairs and vehicles
- ▶ Enable access for residents to their homes
- ▶ To be configured individually and as part of a larger system including infill strips
- ▶ Enquire about minimum order quantities for customisations
- ▶ Trench covers must be installed centrally over the trench

LOWPRO 15/10 TRENCH COVER

Product No.	0815
Width	1000mm
Length	1500mm
Height	37mm
Weight	38kg
Quantity / Pallet	20
Colour	Yellow & Black



LOWPRO INFILL 15/10 SHORT

Product No.	0375
Width	150mm
Length	1000mm
Height	35mm
Weight	2kg
Quantity / Pallet	5/100
Colour	Black

LOWPRO INFILL 15/10 LONG

Product No.	0840
Width	150mm
Length	1500mm
Height	35mm
Weight	2.3kg
Quantity / Pallet	5/100
Colour	Black

COMPLIANCE CODE

HAUC 2018/01 Driveway Trench Cover

Go to Product Index at the end of the brochure for all spare parts and accessories.

LOWPRO® 15/10 TRENCH COVER SYSTEM

DESIGNED FOR ACCESSIBILITY

Make your LowPro 15/10 System accessible to all disabilities and buggy users by adding in the new LowPro Infills and LowPro Ramps. They remove trip hazards, enabling DDA compliance, and have a smooth 1:12 gradient.



COMPLETE YOUR LOWPRO 15/10 SYSTEM WITH THE LOWPRO RAMPS & INFIL STRIPS

The complete solution. Enable accessibility with your LowPro 15/10 Trench Covers, reduce trip hazards and create a gradual gradient with the NEW LowPro Infills and LowPro Ramps.

LOWPRO RAMP LONG

Tool Code	0774
Height	42mm
Width	645mm
Length	1490mm
Weight	9kg
Quantity / Pallet	50

LOWPRO RAMP CORNER

Tool Code	0775
Height	42mm
Width	577mm
Length	577mm
Weight	2.45kg
Quantity / Pallet	100

LOWPRO RAMP SHORT

Tool Code	0798
Height	42mm
Width	645mm
Length	990mm
Weight	8.75kg
Quantity / Pallet	50

LOWPRO STILLAGE

Product Code	5513
Tool Code	0746
Height	1500mm
Width	1200mm
Depth	1200mm
Weight	60kg
Colour	Blue
Quantity / Pallet	1



The LowPro Stillage holds 20 LowPro 15/10, with space for Infill strips and Ramps on top. This heavy-duty metal stillage is stackable and comes with forklift pockets.


Go to Product Index at the end of the brochure for all spare parts and accessories.

LOWPRO® 15/05 ROAD PLATE

TRENCH COVER

The LowPro 15/05 Road Plate is a modular system of singular linking units. This road plate trench cover is suitable for 44 tonnes vehicles over a 700mm trench.

PRODUCT RANGE




LOWPRO® 15/05 ROAD PLATE

Usage Benefits

- ▶ Can be easily transported and stored
- ▶ Can be easily lifted and installed by 2 persons without a crane or heavy-lifting equipment
- ▶ Safely cover holes and trenches up to 700mm
- ▶ Create temporary and semi-permanent road covers
- ▶ To support vehicles up to 44 tonnes
- ▶ Clearly defined thoroughfares to safely direct road traffic and vehicles
- ▶ Maintain quality and performance with spare parts, if necessary
- ▶ To be configured individually and as part of a larger system
- ▶ Trench covers must be installed centrally over the trench


LOWPRO 15/05 ROAD PLATE INNER

Product No.	0830
Width	500mm
Length	1500mm
Height	75mm
Weight	42kg
Quantity / Pallet	20
Colour	Yellow & Black



LOWPRO 15/05 ROAD PLATE END

Product No.	0814
Width	500mm
Length	1500mm
Height	75mm
Weight	23kg
Quantity / Pallet	20
Colour	Yellow & Black



COMPLIANCE CODE

HAUC 2018/01 Road Plate

LOWPRO® 23/05 ROAD PLATE

TRENCH COVER

The LowPro 23/05 Road Plate is a modular system of singular linking units, this road plate trench cover is suitable for 44 tonnes vehicles over a 1200mm trench.

PRODUCT RANGE



LOWPRO® 23/05 ROAD PLATE

Usage Benefits

- ▶ Can be easily transported and stored in the stillage
- ▶ Can be easily lifted and installed by 2 persons using EasiLift Handles, without a crane or heavy lifting equipment
- ▶ Safely cover holes and trenches up to 1200mm wide
- ▶ Create temporary and semi-permanent road covers
- ▶ Clearly defined thoroughfares to safely direct road traffic and vehicles
- ▶ To support vehicles up to 44 tonnes
- ▶ Maintain quality and performance with spare parts, if necessary
- ▶ To be configured as part of a larger system, use multiple road plate innerers to cover any length of trench
- ▶ Trench covers must be installed centrally over the trench



EASILIFT HANDLES

Product No.	0730
Width	457mm
Length	925mm
Height	196mm
Weight	3kg
Quantity / Pallet	20
Colour	Yellow

LOWPRO® 23/05 ROAD PLATE END

Product No.	0726
Width	700mm
Length	2300mm
Height	85mm
Weight	27kg
Quantity / Pallet	16
Colour	Blue

LOWPRO® 23/05 ROAD PLATE STILLAGE

Product No.	0731
Width	1613mm
Length	1779mm
Height	908mm
Weight	190kg
Weight when filled	1030kg
Quantity / Pallet	1
Colour	Silver

LOWPRO® 23/05 ROAD PLATE INNER

Product No.	0839
Width	500mm
Length	2300mm
Height	85mm
Weight	65kg
Quantity / Pallet	16
Colour	Yellow & Blue



COMPLIANCE CODE


HAUC 2018/01 Road Plate

12/8 SAFE COVER

TRENCH COVER

The 12/8 Safe Cover is a versatile, rigid and lightweight trench cover that is suitable for pedestrians and 2 tonnes vehicles over a 700mm trench.

PRODUCT RANGE




12/8 SAFE COVER

Usage Benefits

- ▶ Can be easily installed, transported and stored manually
- ▶ Safely cover holes and trenches up to 700mm
- ▶ Create temporary and semi-permanent road covers quickly and easily, by bolting the cover to the ground for stability
- ▶ Create clearly defined thoroughfares to safely direct foot traffic and vehicles
- ▶ Adapt and customise cover with corporate branding and colours
- ▶ To support pedestrians and vehicles up to 2 tonnes
- ▶ Trench covers must be installed centrally over the trench

Product No.	O307
Width	800mm
Length	1200mm
Height	30mm
Weight	13kg
Quantity / Pallet	30
Colour	Yellow



COMPLIANCE CODE

HAUC 2018/01
Footway Trench Cover

Go to Product Index at the end of the brochure for all spare parts and accessories.



16/12 SAFE COVER

TRENCH COVER

The 16/12 Safe Cover is a strong and secure trench cover that is suitable for pedestrians and 3.5 tonnes vehicles over a 900mm trench.

PRODUCT RANGE




16/12 SAFE COVER

Usage Benefits

- ▶ Can be easily installed, transported and stored manually
- ▶ Safely cover holes and trenches up to 900mm
- ▶ Create temporary and semi-permanent road covers quickly and easily, by bolting the cover to the ground for stability
- ▶ Create clearly defined thoroughfares to safely direct foot traffic and vehicles
- ▶ Adapt and customise cover with corporate branding and colours
- ▶ To support pedestrians and vehicles up to 3.5 tonnes
- ▶ Trench covers must be installed centrally over the trench

Product No.	O820
Width	1200mm
Length	1600mm
Height	26mm
Weight	33kg
Quantity / Pallet	25
Colour	Yellow



COMPLIANCE CODE

HAUC 2018/01
Driveway Trench Cover

Go to Product Index at the end of the brochure for all spare parts and accessories.



Wheelchair Ramps



Designed for street works where pedestrians are diverted from the footway into the roadway. Tested with UK disability groups using mobility scooters or wheelchairs and the partially sighted.

Highly slip resistant in wet and dry conditions, the Wheelchair Ramp range is moulded with a durable anti-slip surface.

The SupaGrip Ramp uses our patented LowPro anti-slide technology, which grips the pavement for added stability.

SLIP RESISTANT
IN WET & DRY



1 PERSON INSTALLATION

HIGH VISIBILITY



1:5
GRADIENT
AT 60MM KERB

SAFEKERB RAMP

WHEELCHAIR RAMP

The SafeKerb Ramp provides safe access for wheelchair, pushchair, motorised wheelchair, bicycle and foot traffic up to 250kg. It is commonly used to provide access from kerb to the road when the pavement is closed for street works.

PRODUCT RANGE






SAFEKERB RAMP

Usage Benefits

- ▶ Can be easily transported and stored
- ▶ Can be easily lifted and installed by 1 person
- ▶ Can be safely used on kerbs between 60mm and 160mm
- ▶ Create semi-permanent kerb ramps by bolting it to the ground
- ▶ Clearly defined thoroughfares to safely direct pedestrian traffic and mobility vehicles
- ▶ To support mobility vehicles and foot traffic up to 250kg

Product No.	O804
Width	1265mm
Length	750mm
Height	110mm
Weight	6kg
Quantity / Pallet	20
Colour	Yellow



COMPLIANCE CODE

HAUC 2018/01 Wheelchair Ramp
Safety at Street Works and Road Works
(Red Book)

Go to Product Index at the end of the brochure for all spare parts and accessories.

SUPAGRIP® RAMP

WHEELCHAIR RAMP

The SupaGrip Ramp is an anti-slide wheelchair ramp and pedestrian kerb ramp, designed for temporary roadworks access.

PRODUCT RANGE





SUPAGRIP® RAMP

Usage Benefits

- ▶ Sits securely on the pavement without the need for pinning
- ▶ Can be easily transported and stored
- ▶ Can be easily lifted and installed by 1 person
- ▶ Can be safely used on kerbs between 60mm and 160mm
- ▶ Spare parts available, if necessary, to maintain the life of your wheelchair ramp
- ▶ Create temporary and semi-permanent kerb ramps
- ▶ Clearly defined thoroughfares to safely direct pedestrian traffic and mobility vehicles
- ▶ To support mobility vehicles and foot traffic up to 350kg

Product No.	O836
Width	1280mm
Length	760mm
Height	110mm
Weight	10kg
Quantity / Pallet	30
Colour	Yellow & Black



COMPLIANCE CODE

HAUC 2018/01 Wheelchair Ramp
Safety at Street Works and Road Works
(Red Book)

Go to Product Index at the end of the brochure for all spare parts and accessories.

Barriers and Fencing



Oxford Plastics manufacture a wide range of barrier and fencing solutions for street works, construction sites and facilities management.

Our Chapter 8 street works barrier range is used by businesses around the world to provide safe spaces for the workforce and the public. This includes 1 metre high pedestrian barriers, and 2m high fences for deep excavations and site protection. Featuring patented anti-tamper locking systems, pedestrian barriers are lightweight and are designed to be carried and installed by 1 person. Complete with high-quality British Standard reflective.

We also manufacture a wide array of ballasting solutions made from recycled PVC, which replace unreliable sandbags.

HIGH WIND



RESISTANCE

REPAIRABLE



BRITISH
STANDARD



REFLECTIVE

CUSTOMISABLE



AVALON® BARRIER

PEDESTRIAN BARRIER

The Avalon is our most versatile and popular safety barrier. It is compliant with street works regulations and suitable for a wide range of indoor and outdoor pedestrian applications. Common uses include construction, excavation, street works, events and utilities sites.



PRODUCT RANGE


AVALON® BARRIER

Usage Benefits

- ▶ Adaptable to the work site's requirements with 3 feet options: ClearPath Extra which is 100% anti-trip, ClearPath or Standard
- ▶ Can be easily transported and stored
- ▶ Clearly defined access in high traffic area
- ▶ Ensure mandated physical distance measures
- ▶ Keep a secure semi-permanent perimeter with our ballasting options, offering wind resistance up to Cat A
- ▶ Patented tamper-proof locking system to protect site staff and pedestrians against risk factors
- ▶ Maintain quality and performance with spare parts, if necessary
- ▶ Enquire about minimum order quantities for customisations


AVALON 1M

Product No.	O634
Width	40mm
Length	1000mm
Height	1000mm
Weight	8.5kg
Quantity / Pallet	50
Colour	Orange



AVALON 500MM

Product No.	O646
Width	40mm
Length	655mm
Height	1000mm
Weight	1.8kg
Quantity / Pallet	100
Colour	Orange



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

BALLAST TRAY

PEDESTRIAN BARRIER BALLAST

Oxford Ballast Trays are an anchor system to give extra stability in strong winds. Fill with spoil from site or the OxBlock to create a semi-permanent work site perimeter.



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS 7818 1995

PRODUCT RANGE



BALLAST TRAY

Usage Benefits

- ▶ A lightweight, durable component used for easy and effective installation
- ▶ Enhance the safety of workers, spectators and pedestrians
- ▶ Reduce weight transported to site by ballasting with work site spoil
- ▶ Create more stable, connected barrier systems
- ▶ Create enhanced stability of your barrier systems to combat high volumes of traffic and weather conditions

BALLAST TRAY SMALL

Product No.	O95
Width	305mm
Length	380mm
Height	400mm
Weight	0.5kg
Quantity / Pallet	300
Colour	Black & Yellow



BALLAST TRAY LARGE

Product No.	O88
Width	365mm
Length	930mm
Height	400mm
Weight	1kg
Quantity / Pallet	150
Colour	Black & Yellow



Go to Product Index at the end of the brochure for all spare parts and accessories.

STRONGWALL® BASE BALLAST

PEDESTRIAN BARRIER BALLAST

Oxford StrongWall Ballast is a heavy duty and firm solution to barrier stability. It also complies with Wind Loading Class B regulations.

PRODUCT RANGE



STRONGWALL BALLAST FOR AVALON BARRIER

Usage Benefits

- ▶ Durable alternative to sand bag ballasts
- ▶ When installed, barriers comply with Wind Loading Class B regulation - equivalent to 39mph
- ▶ A closed loop recycling product made from recycled PVC
- ▶ Integrated handhold for quick and easy installation
- ▶ Chapter 8 barrier slots securely into the ballast base
- ▶ Stacks compactly for ease of transport and storage

STRONGWALL BALLAST DOUBLE SIDED

Product No.	O197
Width	520mm
Length	1000mm
Height	300mm
Weight	18kg
Quantity / Pallet	18
Colour	Black

STRONGWALL BALLAST SINGLE SIDED

Product No.	O196
Width	391mm
Length	1000mm
Height	300mm
Weight	20kg
Quantity / Pallet	18
Colour	Black



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

STRONGWALL®

PEDESTRIAN BARRIER & FENCING

A robust plastic safety barrier which is used during building work or construction to ensure maximum safety to both members of the public and site workers.

PRODUCT RANGE



STRONGWALL

Usage Benefits

- ▶ Create a highly stable barrier or fenced perimeter to combat high volumes of traffic even in hot weather conditions, with no additional ballast
- ▶ A heavy duty, durable component used for easy and effective installation
- ▶ A compact ballast option that can be easily stored and transported
- ▶ Keep worksites secure with 2m tall anti-climb fencing
- ▶ Enquire about minimum order quantities for customisations
- ▶ Be confident that your fence line will stay in tact with connections which are moulded to the barrier
- ▶ Non-conductive plastic to keep your worksite and the public safe around live sites
- ▶ A closed loop recycling product: made using recycled PVC



STRONGWALL

Product No.	O193
Width	555mm
Length	1025mm
Height	1000mm
Weight	22kg
Quantity / Pallet	18
Colour	Black & Orange



STRONGFENCE

Product No.	O687
Width	555mm
Length	1025mm
Height	2065mm
Weight	25.5kg
Quantity / Pallet	18
Colour	Black, Orange & Silver



COMPLIANCE CODE

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

ENDURAFENCE™

FENCING

Heavy duty plastic fence that is 2m tall and anti-climb, making it suitable for construction, deep excavation and street works sites. It is ideal for when metal fencing cannot be used.




PRODUCT RANGE

ENDURAFENCE™

Usage Benefits

- ▶ Lightweight and durable solution for easy installation
- ▶ Can be easily transported and stored by 1 person
- ▶ Clearly defines access and thoroughfares in high traffic areas
- ▶ Ensure mandated physical distance measures
- ▶ Ideal for live sites including railways, power plants and sub-stations
- ▶ Can be connected to existing mesh fencing and compatible with traditional fence feet
- ▶ Can create larger hybrid barrier systems
- ▶ Can be branded to bespoke colours
- ▶ Protect site staff and pedestrians against risk factors

Product No.	O668
Width	40mm
Length	1900mm
Height	1900mm
Weight	10kg
Quantity / Pallet	32
Colour	Orange



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

LANTIS® BARRIER

PEDESTRIAN BARRIER

The Lantis Barrier is a recycled plastic barrier fence. With the ability to be used in parades, sporting events, ticketing lines and much more, it's a versatile solution. Lighter than steel, yet significantly more long-lasting, the Lantis Barrier is a replacement for metal pedestrian barriers.

PRODUCT RANGE



LANTIS® BARRIER

Usage Benefits

- ▶ A closed loop recycling product: made of PCR plastic
- ▶ Lightweight and portable solution for easy installation
- ▶ Stacks compactly, easily transported and stored by 1 person
- ▶ Clearly defines access and thoroughfares in high traffic area
- ▶ Ensures mandated physical distance measures
- ▶ Protect site staff and pedestrians against risk factors
- ▶ Maintain your barrier fleet with spare parts, including feet, connectors and body sections
- ▶ Robust & long-lasting 'drive-over' toughness, which springs back into shape
- ▶ Enquire about minimum order quantities for customisations

Product No.	O745
Width	40mm
Length	2109mm
Height	1100mm
Weight	14kg
Quantity / Pallet	50
Colour	Grey



COMPLIANCE CODE

BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

SAFEGATE®

MANHOLE BARRIER

The SafeGate barrier is designed for use around temporary excavations and is commonly used in the communications industry.

PRODUCT RANGE




SAFEGATE

Usage Benefits

- ▶ Portable solution making it easier to carry & deploy than typical Chapter 8 barriers
- ▶ Lightweight, which keeps overall vehicle weight low, and allows for easy installation
- ▶ Clearly cordon off areas to reduce the danger of pedestrians/site staff entering restricted zones
- ▶ Keep sites protected in high wind conditions by using the SafeBase
- ▶ Ability to reinforce social distancing measures
- ▶ Can be configured in a square or in a line with the SafeBase


SAFEBASE

Product No.	O204
Width	340mm
Length	340mm
Height	80mm
Weight	2.6kg
Quantity / Pallet	150
Colour	Black




3 WAY BARRIER

Product No.	O9737
Width	60mm
Length	2250mm
Height	1000mm
Weight	6kg
Quantity / Pallet	25
Colour	Red/Yellow



4 WAY BARRIER

Product No.	O9738
Width	80mm
Length	3000mm
Height	1000mm
Weight	8kg
Quantity / Pallet	20
Colour	Red/Yellow



COMPLIANCE CODE

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818:1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

VANTAGE BARRIER

PEDESTRIAN BARRIER

The Vantage Barrier links to the Gate Barrier and most other link-and-pin barrier systems.

PRODUCT RANGE



VANTAGE BARRIER

Usage Benefits

- ▶ Lightweight and portable solution for easy installation
- ▶ Can be easily transported and stored by 1 person
- ▶ Clearly define access and thoroughfares in high traffic area
- ▶ Adaptable to the work site's requirements with 3 feet options: ClearPath Extra which is 100% anti-trip, ClearPath or Standard
- ▶ Ensures mandated physical distance measures
- ▶ Enquire about minimum order quantities for customisations
- ▶ Protect site staff and pedestrians against risk factors
- ▶ Robust and long-lasting with 'drive-over' toughness

Product No.	O615
Width	60mm
Length	2000mm
Height	1000mm
Weight	14kg
Quantity / Pallet	40
Colour	Orange



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818 1995

Go to Product Index at the end of the brochure for all spare parts and accessories.

WATCHMAN® BARRIER CONFIGURATION 1

PEDESTRIAN BARRIER

The Watchman MK1 Barrier is compact and easy to install. The system is modular, comprising weighted Bases, lightweight Posts and hi-vis Planks for unlimited layout combinations.

PRODUCT RANGE



WATCHMAN® BARRIER MK1

Usage Benefits

- ▶ Durable solution for temporary and semi-permanent installation
- ▶ Create chapter 8 compliant barrier systems in high traffic areas
- ▶ Ensure mandated physical distance measures
- ▶ Create highly visible barrier systems with reflective, coloured panels
- ▶ Adapt and adjust barriers easily using 1.25m and 2m planks
- ▶ Create stable and durable systems using weighted bases
- ▶ Update and maintain quality of barriers with replacement components
- ▶ Protect site staff and pedestrians against risk factors

WATCHMAN® BARRIER MK1 BASE

Product No.	O17
Width	455mm
Length	455mm
Height	125mm
Weight	4kg
Quantity / Pallet	75
Colour	Black

WATCHMAN® BARRIER MK1 PLANK 1.25M

Product No.	O9502
Width	20mm
Length	1250mm
Height	150mm
Weight	1.5kg
Quantity / Pallet	300
Colour	White

WATCHMAN® BARRIER MK1 PLANK 2M


Product No.	O9504
Width	20mm
Length	2000mm
Height	150mm
Weight	2.2kg
Quantity / Pallet	300
Colour	White

WATCHMAN® BARRIER MK1 POST

Product No.	O9550
Width	100mm
Length	100mm
Height	1150mm
Weight	1kg
Quantity / Pallet	150
Colour	Red

COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818 1995



Go to Product Index at the end of the brochure for all spare parts and accessories.

WATCHMAN® BARRIER CONFIGURATION 2

PEDESTRIAN BARRIER

The Watchman MK2 Barrier is compact and easy to install. The system is modular, comprising anti-trip Bases, weighted Posts and hi-vis Planks for unlimited layout combinations.

PRODUCT RANGE



WATCHMAN® BARRIER MK2

Usage Benefits

- ▶ Lightweight and durable solution for easy installation
- ▶ Can be easily transported and stored by 1 person
- ▶ Create chapter 8 compliant barrier systems in high traffic areas
- ▶ Ensure mandated physical distance measures
- ▶ Adapt and adjust barriers easily using 1.25m and 2m planks
- ▶ Create stable and durable systems using weighted bases
- ▶ Dismantles and packs away compactly for ease of transport & storage
- ▶ Create highly visible barrier systems with reflective, coloured panels
- ▶ Adapt and customise the barriers with corporate branding
- ▶ Update and maintain quality of barriers with replacement components
- ▶ 100% anti-trip feet to protect site staff and pedestrians against risk factors

WATCHMAN® BARRIER MK2 BASE

Product No.	O78
Width	200mm
Length	630mm
Height	160mm
Weight	0.8kg
Quantity / Pallet	100
Colour	Yellow

WATCHMAN® BARRIER MK2 PLANK 1.25M

Product No.	O9511
Width	20mm
Length	1250mm
Height	150mm
Weight	1.5kg
Quantity / Pallet	300
Colour	White & Yellow

WATCHMAN® BARRIER MK2 PLANK 2M

Product No.	O9514
Width	20mm
Length	2000mm
Height	150mm
Weight	2.2kg
Quantity / Pallet	300
Colour	White & Yellow

WATCHMAN® BARRIER MK2 POST

Product No.	O77
Width	130mm
Length	130mm
Height	1000mm
Weight	4kg
Quantity / Pallet	100
Colour	Red & White

COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS 7818 1995




Go to Product Index at the end of the brochure for all spare parts and accessories.

OXFORDWALL™

DEMARCATIION

Water-filled barrier which is hi-vis for traffic delineation, and is fast and easy to deploy.

PRODUCT RANGE




OXFORDWALL™

Usage Benefits

- ▶ Withstands high winds when water-filled to increase barrier weight up to 20kg
- ▶ Heavy, durable solution for robust installations
- ▶ Lightweight (when empty) for easy transport and storage by 1 person
- ▶ Create hi-vis barrier systems that won't fade
- ▶ Easy to carry internal handholds which also increase wind-resistance
- ▶ Clearly define access and thoroughfares in high traffic area
- ▶ Ensures mandated physical distance measures
- ▶ Protect site staff and pedestrians against risk factors

Product No.	O9169
Width	395mm
Length	1100mm
Height	600mm
Weight	8kg
Quantity / Pallet	18
Colour	White Red



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019

Go to Product Index at the end of the brochure for all spare parts and accessories.

FENCE PIN

FENCING

Fence Pins protect staff from the danger of being electrocuted, compared to a metal fence pin. The Fence Pin is non-conductive and suitable for sites with electric cable hazards.

PRODUCT RANGE




FENCE PIN

Usage Benefits

- ▶ A durable non-conductive component to create temporary fencing
- ▶ Lightweight and easy to assemble a perimeter
- ▶ Use in dry and wet ground conditions

Product No.	O514
Width	18mm
Length	1400mm
Height	18mm
Weight	0.5kg
Quantity / Pallet	500
Colour	White & Silver



Go to Product Index at the end of the brochure for all spare parts and accessories.



Fence Feet and Heavy Bases



Our fence feet and heavy bases are first and foremost effective, durable and safe for use on construction sites and at high profile sporting and entertainment events.

Their high-visibility ends are patent protected to keep your work site safe by reducing the risk of trips and falls.

Oxford Plastics is one of the biggest users of recycled PVC in the world and in 2019 we used 16% of all the recycled PVC in the UK.

We go to great lengths to use recycled materials in our products – none more so than with our fence feet and heavy bases – and at the end of their life most of these can be re-ground into new products.

**DURABLE RECYCLED
MATERIAL**



HIGH VISIBILITY



PATENT PROTECTED



CUSTOMISABLE



OXSTAND®

FENCING

The OxStand is an alternative to the metal tube stand, commonly used with metal fencing at events and on construction sites. You can stack and carry multiple OxStands at a time, drastically reducing installation labour time and cost.

PRODUCT RANGE



OXSTAND

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Use with the Temporary Fence Weight to provide weighted stability across fencing systems
- ▶ Reduce cost and installation labour time
- ▶ Carry multiple OxStands at once for ease of installation
- ▶ Reduce trip hazards with these highly visible fence stands

Product No.	O614
Width	305mm
Length	920mm
Height	184mm
Weight	3kg
Quantity / Pallet	130
Colour	Black & Yellow



TEMPORARY FENCE WEIGHT

FENCING

The Temporary Fence Weight is a high-visibility ballast weight for temporary fencing. The alternative to sandbags, which does not decompose or leak sand onto pavements and work sites. The Temporary Fence Weight ballasts fence panels to create a long lasting, wind-resistant perimeter.

PRODUCT RANGE



TEMPORARY FENCE WEIGHT

Usage Benefits

- ▶ Create a wind resistant fence perimeter for construction sites and events
- ▶ Eliminate sand bags which decompose and create mess
- ▶ Carry multiple Temporary Fence Weights at once using the internal handles
- ▶ Create an anti-trip walkway using this low-profile and hi-vis ballast
- ▶ Stack and secure Temporary Fence Weights on top of metal tube stands and OxStand to create a semi-permanent fence line
- ▶ Reduce call outs due to fences falling over
- ▶ A closed loop recycling product: made of recycled PVC



Product No.	O203
Width	600mm
Length	495mm
Height	70mm
Weight	13.6kg
Quantity / Pallet	72
Colour	Black & Yellow



OXBLOCK

FENCING

This heavy base forms a stable base for metal and plastic security fencing. The OxBlock is the best alternative to concrete blocks. It is made from a tough thermoplastic compound that is shock and crack resistant. O207 is suitable for UK fence panels. O224 & O225 are suitable for European fence panels. O253 is suitable for USA and European fence panels.

PRODUCT RANGE



OXBLOCK

Usage Benefits

- ▶ Can be easily stored and transported using the internal handles
- ▶ A versatile and durable component that can be used with a range of fencing
- ▶ Create enhanced stability of fencing systems to maintain demarcation and social distancing
- ▶ Reduce trip hazards with these low-profile, compact fence feet
- ▶ Can reinforce contractor, client or project branding, as required
- ▶ Provide added visibility for workers, spectators or pedestrians with hi-vis ends
- ▶ A closed loop recycling product: made of recycled PVC



OXBLOCK 26KG OX-BAUZAUNFUSS

Product No.	O224
Width	245mm
Length	680mm
Height	140mm
Weight	26kg
Quantity / Pallet	50
Colour	Black & Yellow

OXBLOCK 18KG HIVIZ

Product No.	O225
Width	205mm
Length	770mm
Height	128mm
Weight	18kg
Quantity / Pallet	48
Colour	Black & Yellow

OXBLOCK 24KG HIVIZ

Product No.	O253
Width	210mm
Length	775mm
Height	154mm
Weight	24kg
Quantity / Pallet	42
Colour	Black & Yellow

OXBLOCK 18KG

Product No.	O210
Width	190mm
Length	770mm
Height	120mm
Weight	18kg
Quantity / Pallet	48
Colour	Black & Yellow



EVEREST OXBLOCK BALLAST

FENCING

The Everest OxBlock forms a stable base for metal and plastic security fencing. This fence foot over-weight, which is made from a tough thermoplastic compound that is shock and crack resistant, provides a better alternative to concrete blocks.

PRODUCT RANGE



OXBLOCK EVEREST BALLAST

Usage Benefits

- ▶ Can be easily stored and transported using the internal handles, able to manually carry
- ▶ Create a highly wind-resistant perimeter by stacking OxBlock Everest over fence feet
- ▶ A versatile and durable component that can be used with a range of fencing
- ▶ Create enhanced stability of fencing systems to maintain demarcation and social distancing
- ▶ Reduce trip hazards with these compact and hi-vis fence feet
- ▶ Can reinforce contractor, client or project branding, as required
- ▶ A closed loop recycling product: made of recycled PVC

Product No.	O194
Width	252mm
Length	600mm
Height	300mm
Weight	20kg
Quantity / Pallet	18
Colour	Black & Yellow



SOLE BOARD

SCAFFOLDING BOARD

Sole board is for use with scaffolding installations, replacing timber scaffolding board base plates which deteriorate and splinter. Place 1 sole board under each scaffold base to create a stable structure and to protect the ground underneath.

The high-visibility anti-trip design ensures that worksites are safe for workers and pedestrians.

PRODUCT RANGE




SOLE BOARD

Usage Benefits

- ▶ Distributes the load of scaffolding
- ▶ Gives stability and safety for scaffolding on soft ground
- ▶ Suitable for 15T loads on flat, level ground
- ▶ Internal base plate size 165 x 165mm
- ▶ Replaces timber scaffolding board base plates
- ▶ Low profile design minimises trip hazards to pedestrians and workers
- ▶ Large 1.5m² footprint
- ▶ high-visibility and UV resistant colour
- ▶ Non-conductive

Product No.	O630
Width	300mm
Length	500mm
Height	77mm
Weight	1.7kg
Quantity / Pallet	200
Colour	Yellow



SQUARE BASE

FENCE POST BASE

Durable heavy duty post base available with 4 hole sizes. A versatile ecological heavy base which can fit 4 sizes of post: 40mm, 44mm, 51mm and 60mm. The handle means it is easy to transport.

PRODUCT RANGE





SQUARE BASE

Usage Benefits

- ▶ Can be easily installed, transported and stored using moulded handles
- ▶ Provide weighted stability and shock resistance across fencing systems
- ▶ Support fence poles of 40mm, 44mm, 51mm and 60mm
- ▶ Reduce trip hazards with these long-lasting square fence feet
- ▶ Adapt and customise fence feet with corporate logo
- ▶ A closed loop recycling product: made of recycled PVC

Product No.	O15
Width	415mm
Length	415mm
Height	100mm
Weight	9kg
Quantity / Pallet	75
Colour	Black



OCTAGONAL BASE

FENCE FEET

Heavy duty base with 3 hole sizes and shapes (40mm, 45mm and 80mm), suitable for signs and fencing. A cost-effective alternative to concrete bases, the thermoplastic compound is more resistant to cracking and damage.

PRODUCT RANGE




OCTAGONAL BASE

Usage Benefits

- ▶ Can be easily installed, transported and stored using moulded handles
- ▶ Provide weighted stability and shock resistance across fencing systems
- ▶ Reduce trip hazards with these long-lasting fence feet
- ▶ Adapt and customise fence feet with corporate logo
- ▶ A closed loop recycling product: made of recycled PVC

Product No.	O326
Width	502mm
Length	502mm
Height	110mm
Weight	25kg
Quantity / Pallet	36
Colour	Black



EURO BASE

FENCE FEET

Heavy duty base with 3 hole sizes and shapes (42mm and 62mm), suitable for signs and fencing. A cost-effective alternative to concrete bases, the thermoplastic compound is more resistant to cracking and damage.

PRODUCT RANGE




EURO BASE

Usage Benefits

- ▶ Can be easily installed, transported and stored using moulded handles
- ▶ Provide weighted stability and shock resistance across fencing systems
- ▶ Reduce trip hazards with these long-lasting fence feet
- ▶ Adapt and customise fence feet with corporate logo
- ▶ A closed loop recycling product: made of recycled PVC

Product No.	O221
Width	390mm
Length	790mm
Height	122mm
Weight	25kg
Quantity / Pallet	36
Colour	Black





Traffic Management



Like all products from Oxford Plastics, our Traffic Management range is designed for safety and ease of use. Whether you need temporary equipment for a work site, or a more permanent fixture for facilities management – we've got you covered.

High visibility is essential when it comes to creating safe throughways. This is why we use only British Standard reflective. Oxford Plastics understand safety, which is why we build high visibility inserts and long-lasting colours into our products. So you can be confident that your site can be clearly seen in all weather.

As experts in recycled materials and durability, Oxford Plastics build recycled plastics into all products where possible. We use hard-wearing and long-lasting recycled plastic.

BRITISH
STANDARD



REFLECTIVE

DURABLE
RECYCLED MATERIAL



HIGH WIND



RESISTANCE

CUSTOMISABLE



ENDURASIGN QUICKFIT FRAME®

TEMPORARY SIGNS

The EnduraSign QuickFit Frame is a recycled plastic sign frame that is compatible with 300mm hole centre sign faces.


The modular design means the correct signage can be quickly assembled on site. Space and weight limitations are improved in works vehicles compared to using single piece Chapter 8 signs.



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442 (2006)

PRODUCT RANGE




ENDURASIGN QUICKFIT FRAME™

Usage Benefits

- ▶ Ultra-durable sign frame is resistant to cracking
- ▶ Plastic sign frame fitted with 4 antiluce droplocks, compatible with 300mm spaced quickfit faces
- ▶ Compact design to fit more signage in works vehicles
- ▶ Interchangeable sign faces can be installed on site
- ▶ Highly resistant to wind
- ▶ Category C (19 mph) winds without ballast
- ▶ Category B (39 mph) winds with a 9kg weight (for 1050 rectangle use 13kg)
- ▶ Compatible with EnduraSign Ballast 9kg weight
- ▶ Lightweight 3.3kg design reduces weight in works vehicles
- ▶ Clearly label equipment and prevent theft with a corporate nameplate and custom RAL colour frame
- ▶ Create clear signage and information in all weather

ENDURASIGN QUICKFIT FRAME™

Product No.	0424
Width	35mm
Length	800mm
Height	870mm
Weight	3.3kg
Quantity / Pallet	50
Colour	Black, custom RAL colours MOQ



ENDURASIGN™ BALLAST WEIGHT

TEMPORARY SIGNS

The EnduraSign Ballast can be used on all metal and plastic temporary signs to ensure that temporary works stay clearly signposted and street works compliant. This ballast weight replaces sandbags, it is stackable, quick to deploy and is significantly longer-lasting.

PRODUCT RANGE



ENDURASIGN™ BALLAST WEIGHT

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Locks onto the EnduraSign to provide weighted stability across a series of different signs in up to Category A winds
- ▶ Create safe signage installations, without using sandbags
- ▶ Avoid debris and trip hazards caused by the deterioration of sandbags
- ▶ Create highly visible signage installations
- ▶ Adapt and customise ballast with corporate name plate
- ▶ A closed loop recycling product: made of recycled PVC
- ▶ Refer to our website for ballasting guidelines.

Product No.	0426
Width	556mm
Length	407mm
Height	90mm
Weight	10kg
Quantity / Pallet	60
Colour	Black & Yellow



COMPLIANCE CODES

Traffic Signs Manual (Chapter 8)

HIGHWAYMAN CONE SYSTEM

ROAD CONES

This 2 part road cone provides safety to worksites, and is ideal for use in heavy traffic, motorway contraflow systems (750mm), lane delineation and parking control at events. The easy-to-use Cone Rope is used with road cones to create a hi-vis temporary perimeter.



COMPLIANCE CODE

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS 8442:2015, BS EN 13422:2019, BS EN 12899 TSRGD 2015

PRODUCT RANGE



HIGHWAYMAN CONE SYSTEM

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Can clearly and easily demarcate areas of road, walkways and work sites
- ▶ Create temporary separation of high traffic and restricted zones
- ▶ 2 part cone with durable recycled PVC base, outlasts 1 part cone alternatives
- ▶ Create clearly defined thoroughfares to safely direct traffic and vehicles
- ▶ Can effectively cover small and large areas with a quick and effortless installation
- ▶ A closed loop recycling product: made using recycled PVC

HIGHWAYMAN CONE 1M

Product No.	O9100
Width	540mm
Length	540mm
Height	1000mm
Weight	7kg
Quantity / Pallet	100
Colour	Orange

HIGHWAYMAN CONE 50CM

Product No.	O9102
Width	285mm
Length	285mm
Height	500mm
Weight	2.5kg
Quantity / Pallet	400
Colour	Orange

HIGHWAYMAN CONE 75CM

Product No.	O9101
Width	430mm
Length	430mm
Height	750mm
Weight	4.6kg
Quantity / Pallet	150
Colour	Orange

CONE ROPE

Product No.	O9940
Width	10mm
Length	18000mm
Height	10mm
Weight	1kg
Quantity / Pallet	100
Colour	Orange

NO WAITING CONE

ROAD CONES

Available as a triangular Warden Cone and Conical Cone. The top is made with a flexible compound and the base is 100% recycled plastic. Ideal for parking control at events and is a popular police cone.

PRODUCT RANGE



NO WAITING CONE

Usage Benefits

- ▶ Can be easily installed, transported and stored
- ▶ Can clearly and easily demarcate areas of road, walkways and work sites
- ▶ Visible demarcation to prevent idling and parking in restricted areas
- ▶ 2 part cone with durable recycled PVC base, outlasts 1 part cone alternatives

NO WAITING CONE WARDEN

Product No.	O9200
Width	400mm
Length	365mm
Height	550mm
Weight	3.6kg
Quantity / Pallet	200
Colour	Yellow



NO WAITING CONE CONICAL

Product No.	O9205
Width	285mm
Length	285mm
Height	500mm
Weight	2.5kg
Quantity / Pallet	400
Colour	Yellow



COMPLIANCE CODES

Safety at Street Works and Road Works (Red Book), Traffic Signs Manual (Chapter 8), BS EN 13422:2019, TSRGD 2015



Mats and Ground Protection

Oxford Plastics have a range of ground protection solutions for temporary, semi-permanent and permanent uses.

We mould anti-slip surfaces into our products, providing a grippy surface that won't fade over time. Our mats and grids are made for both vehicle and pedestrian access. The range is designed to provide safe passageway for all traffic, particularly in wet and muddy situations.

Oxford Plastics have developed a suite of accessories to make your site safe and sound, including parking delineator inserts for the EnduraGrid, and heavy-duty connectors for the EnduraMat.



1 OR 2 PERSON INSTALLATION

CUSTOMISABLE



SLIP RESISTANT
IN WET



SLIP RESISTANT
IN DRY



ENDURARAMP™

SPEED BUMPS

The EnduraRamp slows down traffic at your worksite, school or wherever traffic calming is required. This speed bump is durable and easy to install.

PRODUCT RANGE



ENDURARAMP™

Usage Benefits

- ▶ Lightweight and durable solution for easy installation
- ▶ Can be easily installed, transported and stored
- ▶ Manage the speed of traffic effectively across site and pedestrian areas
- ▶ Support road traffic, vehicles and cargo up to 44 tonnes
- ▶ Protect site staff and pedestrians against traffic and vehicles
- ▶ Create highly-visible traffic management solutions with in built reflective
- ▶ Thick plastic moulded coloured skin which provides long-lasting hi-vis colours
- ▶ Run cabling and piping of up to 22mm diameter within the ramp's recess
- ▶ A closed loop recycling product: made of recycled PVC

ENDURARAMP™ 50MM END

Product No.	O310/O377
Width	420mm
Length	210mm
Height	50mm
Weight	3.5kg
Quantity / Pallet	100
Colour	Black/Yellow

ENDURARAMP™ 75MM END

Product No.	O323
Width	420mm
Length	210mm
Height	75mm
Weight	4.5kg
Quantity / Pallet	100
Colour	Yellow/Black

ENDURARAMP™ 50MM INNER

Product No.	O376
Width	420mm
Length	500mm
Height	50mm
Weight	9kg
Quantity / Pallet	120
Colour	Black/Yellow

ENDURARAMP™ 75MM INNER

Product No.	O378/O321
Width	420mm
Length	500mm
Height	75mm
Weight	12kg
Quantity / Pallet	120
Colour	Yellow/Black

COMPLIANCE CODES

The Highways (Road Humps) Regulations 1999




CLEARPATH® MAT

TEMPORARY WALKWAY

Create clearly marked passageways with this black and white pedestrian mat made of tough plastic for work sites, events and temporary zebra crossings.

PRODUCT RANGE




CLEARPATH® MAT

Usage Benefits

- ▶ Lightweight and durable solution for easy installation
- ▶ Can be easily installed, transported and stored
- ▶ Provide added stability on uneven ground
- ▶ Clearly cordon off areas to reduce the risk of pedestrians/site staff entering restricted zones
- ▶ Ability to reinforce social distancing measures
- ▶ A closed loop recycling product: made of recycled PVC

Product No.	O329
Width	1200mm
Length	600mm
Height	22mm
Weight	20kg
Quantity / Pallet	30
Colour	Black White Yellow




ENDURAMAT™

GROUND PROTECTION MAT

Heavy duty ground protection mat suitable for worksites, events and creating temporary access. The EnduraMat has a small grip on the top and a large grip on the bottom, making it suitable for vehicle access and pedestrian access.

PRODUCT RANGE




ENDURAMAT™

Usage Benefits

- ▶ Clearly demarcate walkways and thoroughfares to avoid hazards
- ▶ Create stable ground conditions for heavy vehicles
- ▶ Clearly signpost to inform, educate and navigate pedestrians
- ▶ Create semi-permanent roadways using heavy-duty couplers
- ▶ Create clear passageways to help reinforce social distancing measures
- ▶ Create portable roadways using light-duty couplers
- ▶ Enquire about minimum order quantities for customisations

ENDURAMAT

Product No.	0651
Width	1220mm
Length	2440mm
Height	12mm
Weight	32kg
Quantity / Pallet	20
Colour	Grey



ENDURAMAT COUPLER HEAVY DUTY

Product No.	0648
Width	178mm
Length	178mm
Height	8mm
Weight	2kg
Quantity / Pallet	100
Colour	Silver

ENDURAMAT COUPLER LIGHT DUTY


Product No.	0652
Width	132mm
Length	95mm
Height	3mm
Weight	0.2kg
Quantity / Pallet	100
Colour	Silver

ENDURAGRID™

GROUND PROTECTION

EnduraGrid is an interlocking porous paving system designed to reinforce the ground. Perfect for carparks, driveways, paths, patios and muddy areas.

PRODUCT RANGE




ENDURAGRID™


Usage Benefits

- ▶ Create permanent ground protection grids
- ▶ Lightweight and durable for easy transport and installation by 1 person
- ▶ Interlock the paving system to reinforce the ground
- ▶ Support vehicles up to 44 tonnes depending on ground conditions
- ▶ Parking marker spots slot into the grid to demarcate car park spaces
- ▶ Install up to 3900ft² per hour
- ▶ Protect car parks, driveways, paths and soft/muddy ground
- ▶ Create long-lasting porous ground protection areas that work all year round
- ▶ Cutaways permit grass root growth to keep lawns looking green
- ▶ Curved lattice structure creates a flat surface: the grid allows for expanding and contracting in hot weather to prevent the surface from rounding up

Product No.	0681
Width	500mm
Length	500mm
Height	65mm
Weight	2kg
Quantity / Pallet	120
Colour	Black



Product No.	0684
Width	69mm
Length	69mm
Height	68mm
Quantity/Pallet	100
Colour	White / Yellow





Product Index



Category	Family	Ref	Description	Dimensions (mm) (L) x (W) x (H)	Weight (Kgs)	Pallet Quantity	Page
TRENCH COVERS AND ROAD PLATES							
Trench Covers	LowPro	5542	O761 LowPro 100 Narrow Trench Cover - 40mm	1065 x 250 x 53	3.23	100	15
Trench Covers	LowPro	5543	O762 LowPro 100 Narrow Trench Cover - 20mm	1065 x 250 x 33	3.2	100	15
Trench Covers	LowPro	3147	O825 11/11 LowPro Footway Board, 1.1m x 1.1m, Yellow	1125 x 1125 x 17	24.00	30	16
Trench Covers	LowPro	4356	O362 12/8 LowPro Footway Board, 1.2m x 0.8m, Yellow	1200 x 800 x 28	17.00	30	17
Trench Covers	LowPro	5318	O383 12/8 LowPro Infill Short Side, Black	800 x 150 x 26	1.50	100	19
Trench Covers	LowPro	5008	O364 12/8 LowPro Infill Long Side, Black	1200mm x 150 x 26	2.00	100	19
Trench Covers	LowPro	4132	O815 15/10 LowPro Driveway Board, 1.5m x 1.0m, Yellow	1500 x 1000 x 37	38.00	20	19
Trench Covers	LowPro	5006	O375 15/10 LowPro Infill Short Side, Black	1000 x 150 x 35	2.00	100	19
Trench Covers	LowPro	4998	O840 15/10 LowPro Infill Long Side, Black	1500 x 150 x 35	2.30	100	19
Trench Covers	LowPro	5309	O798 15/10 LowPro Ramp, Short Side, Blue	990 x 645 x 42	8.75	50	19
Trench Covers	LowPro	5465	O774 15/10 LowPro Ramp, Long Side, Blue	1490 x 645x 42	9.00	50	19
Trench Covers	LowPro	5466	O775 15/10 LowPro Ramp, Corner, Blue	577 x 577 x 42	2.45	100	19
Trench Covers	LowPro	5513	O746 LowPro Stillage	1200 x 1200 x 1500 (D)	60.00	1	19
Trench Covers	LowPro	5007	O384 LowPro 2 Way Connector Silver		0.20	1	19
Trench Covers	LowPro	5468	O386 LowPro 4 Way Connector Silver		0.60	1	19
Road Plates	LowPro	3246	O830 15/05 LowPro Road Plate Inner, Yellow with Black LowPro Edge	1500 x 500 x 75	42.00	20	20
Road Plates	LowPro	2385	O814 15/05 LowPro Road Plate End, Yellow	1500 x 500 x 75	23.00	20	20
Road Plates	LowPro	3221	O710 15/05 LowPro Road Plate Black LowPro Edge Only	500 x 225 x 54	3.00	50	20
Road Plates	LowPro	2776	O703 15/05 LowPro Road Plate Male U Bolt Connector Only			1	20
Road Plates	LowPro	2969	O808 15/05 LowPro Road Plate Female Locking Plate Only			1	20
Road Plates	LowPro	4909	O839 23/05 LowPro Road Plate Inner, Yellow with Blue LowPro Edge	2300 x 500 x 85	65.00	16	21
Road Plates	LowPro	4969	O726 23/05 LowPro Road Plate End, Blue LowPro Edge	2300 x 700 x 85	27.00	16	21
Road Plates	LowPro	4910	O719 23/05 LowPro Road Plate Blue LowPro Edge Only	500 x 250x 54	3.00	16	21
Road Plates	LowPro	4631	O725 23/05 LowPro Road Plate Male U Bolt Connector Only			1	21
Road Plates	LowPro	4637	O724 23/05 LowPro Road Plate Female Locking Plate Only			1	21
Road Plates	LowPro	4725	O730 EasyLift Handles, Pair, Yellow	925 x 457x 196	3.00	20	21
Road Plates	LowPro	4902	O731 23/05 LowPro Road Plate Stillage, Blue	1779 x 1613x 908	190.00	1	21
Trench Covers	Safe Cover	613	O307 12/8 Safe Cover Footway Board, 1.2m x 0.8m, Yellow	1200 x 800 x 30	13.00	30	22
Trench Covers	Safe Cover	2149	O820 16/12 Safe Cover Driveway Board, 1.6m x 1.2m, Yellow	1600 x 1200 x 26	33.00	25	23



Category	Family	Ref	Description	Dimensions (mm) (L) x (W) x (H)	Weight (Kgs)	Pallet Quantity	Page
WHEELCHAIR RAMPS							
Wheelchair Ramps	Kerb Ramps	3447	O804 SafeKerb Wheelchair Kerb Ramp, Yellow	750 x 1265 x 110	6.00	20	26
Wheelchair Ramps	Kerb Ramps	4175	O836 SupaGrip Wheelchair Kerb Ramp, Yellow	760 x 1280 x 110	10.00	30	27
Wheelchair Ramps	Kerb Ramps	4245	O838 SupaGrip Replacement Clips			1	27
BARRIERS AND FENCING							
Barriers	Avalon	4738	O646 Avalon Barrier 0.5m Orange with Reflective	655 x 40 x 1000	1.80	100	30
Barriers	Avalon	3318	O634 Avalon Barrier 1.0m Orange with Reflective, with Standard Black Feet	1075 x 40 x 1000	2.50	50	30
Barriers	Avalon	4186	O634 Avalon Barrier 1.0m Orange with Reflective, with ClearPath Extra Feet	1075 x 40 x 1000	2.50	50	30
Barriers	Avalon	3802	O635 Avalon Barrier 2.0m Orange with Reflective, with ClearPath Extra Feet	2005 x 40 x 1000	11.00	50	30
Barriers	Avalon	2643	O635 Avalon Barrier Standard Feet ORANGE	2005 x 40 x 1000	9.00	50	30
Barriers	Avalon	2457	O621 Avalon Standard Feet Replacements (Per Foot)	640 x 87 x 200	3.00	120	30
Barriers	Avalon	4075	O657 Avalon ClearPath Extra Feet Replacements (Per Foot)	645 x 87 x 200	2.00	150	30
Barriers	Avalon	2515	O622 Avalon Spigot Replacements (Per Item)	85 x 85 x 200	0.50	800	30
Barriers	Reflective	2401	O9899 1.25m Reflective Strip Only	1250 x 140	0.10	1	30
Barriers	Reflective	3611	O9897 720mmm Reflective Strip Only	720 x 140	0.10	1	30
Barriers	Ballast	4187	O197 Avalon Double Sided Ballast Base	1000 x 520x 300	18.00	18	30
Barriers	Ballast	4068	O88 Avalon Ballast Tray - Large	930 x 365 x 400	1.00	150	31
Barriers	Ballast	4177	O95 Avalon Ballast Tray - Small	380 x 305 x 400	0.50	300	31
Barriers	Ballast	4267	O501 Avalon Stability Bar	1248mm closed, extends to 2048, 80	0.50	1	27
Barriers	StrongWall	5306	O193 StrongWall MK3 base only with HiViz insert in Black	1025 x 555 x 300	18.50	18	32
Barriers	StrongWall	3043	O629 StrongWall 1000 Orange Top only with reflective	1025 x 60 x 850	4.00	36	33
Barriers	StrongFence	4697	O687 StrongFence Grey fence panel top only	1230 x 1087 x 45	3.00	36	33
Barriers	StrongFence	5345	O645 StrongFence Metal Coupler		0.20	1	33
Barriers	StrongFence	4908	O667 StrongFence Plastic Coupler, Black		0.10	1	33
Barriers	EnduraFence	3001	O668 EnduraFence 2m x 2m fence panel, Orange with reflected bottom panel	1900 x 40 x 1900	10.00	32	34

Category	Family	Ref	Description	Dimensions (mm) (L) x (W) x (H)	Weight (Kgs)	Pallet Quantity	Page
BARRIERS AND FENCING							
Barriers	Lantis	5161	O745 Lantis MK2 1.9m Recycled Pedestrian Barrier, Grey	2109 x 40 x 1100	14.00	50	35
Barriers	SafeGate	5069	O9737 SafeGate 3 Way Gate Barrier Red with Reflective	750 x 60 x 1000	6.00	25	36
Barriers	SafeGate	3613	O9737 SafeGate 3 Way Gate Barrier Yellow with Reflective	750 x 60 x 1000	6.00	25	36
Barriers	SafeGate	3609	O9738 SafeGate 4 Way Gate Barrier Red with Reflective	750 x 80 x 1000	8.00	20	36
Barriers	SafeGate	3610	O9738 SafeGate 4 Way Gate Barrier Yellow with Reflective	750 x 80 x 1000	8.00	20	36
Barriers	SafeGate	3685	O9739 SafeGate Replacement Clips		0.10	1	36
Barriers	SafeGate	3794	O9740 SafeGate Replacement Lapping bar with fixings		0.10	1	36
Barriers	SafeGate	4627	O204 SafeBase, Black	340 x 340 x 80	2.60	150	36
Barriers	Vantage	2254	O615 Vantage Barrier 2.0m Orange with Reflective, with Standard Black Feet	2000 x 60 x 1000	12.00	40	37
Barriers	Watchman	31	O17 Watchman Barrier MK1 Base Black	455 x 455 x 125	4.00	75	38
Barriers	Watchman	859	O9502 Watchman Barrier MK1 Plank 1.25m White	1250 x 20 x 150	1.50	300	38
Barriers	Watchman	942	O9504 Watchman Barrier MK1 Plank 2.0m White	2000 x 20 x 150	2.20	300	38
Barriers	Watchman	3636	O9550 Watchman Barrier MK1 Post Red BT	100 x 100 x 1150	1.00	150	38
Barriers	Watchman	781	O9550 Watchman Barrier MK1 Post Red	100 x 100 x 1150	1.00	150	38
Barriers	Watchman	4157	O77 Watchman MK2 Post with 4kg Weight Insert, White	100 x 100 x 1100	4.00	100	35
Barriers	Watchman	4154	O77 Watchman MK2 Post with 4kg Weight Insert, Red	100 x 100 x 1100	4.00	100	35
Barriers	Watchman	4091	O78 Watchman MK2 Base Yellow	630 x 200 x 160	0.80	100	35
Barriers	Watchman	703	O9511 Watchman MK2 Barrier Plank only 1.25m, White. With Red/White reflective	150 x 1250 x 20	1.50	300	35
Barriers	Watchman	705	O9514 Watchman MK2 Barrier Plank only 2.0m, White. With Red/White reflective	150 x 2000 x 20	2.20	300	39
Barriers	OxfordWall	2527	O9169 OxfordWall MKII Water Filled Barrier in White	1100 x 395 x 600	8.00	18	40
Barriers	OxfordWall	2528	O9169 OxfordWall MKII Water Filled Barrier in Red	1100 x 395 x 600	8.00	18	40
Barriers	Non Conductive Fence Pin	3601	O514 Non Conductive Fence Pin, White & Silver	1400 x 18	0.50	500	41



Category	Family	Ref	Description	Dimensions (mm) (L) x (W) x (H)	Weight (Kgs)	Pallet Quantity	Page
FENCE FEET AND HEAVY BASES							
Fence Feet & Bases	OxStand	4470	O614 OxStand Temporary Fence Stand	920 x 305 x 184	3.00	150	45
Fence Feet & Bases	Temporary Fence Weight	4565	O203 Temporary Fence Weight	495 x 600 x 70	13.60	72	45
Fence Feet & Bases	OxBlock	4189	O225 OxBlock 18kg Fence Feet Base with 46mm holes, Yellow HiViz Ends	770 x 205 x 128	18.00	48	46
Fence Feet & Bases	OxBlock	5258	O253 OxBlock 23kg Fence Feet Base with 44mm holes, Yellow HiViz Ends	775 x 210 x 154	23.00	42	46
Fence Feet & Bases	OxBlock	3468	O224 OxBlock 26kg Fence Feet Base	680 x 245 x 140	26.00	50	46
Fence Feet & Bases	OxBlock	1784	O210 OxBlock 18kg Black	770 x 190 x 120	18.00	48	46
Fence Feet & Bases	Everest	4887	O194 Everest 20kg Overweight Ballast Block with Yellow HiViz Inserts	600 x 252 x 300	20.00	36	47
Fence Feet & Bases	Sole Board	1968	O630 Scaffolding Sole Board, Yellow	500 x 300 x 54	1.70	200	48
Fence Feet & Bases	Square Base	2535	O15 Square Base, Heavy Duty Fence Post Base, 40 x 40 hole size, 9kg, Black	415 x 415 x 100	9.00	75	49
Fence Feet & Bases	Square Base	29	O15 Square Base, Heavy Duty Fence Post Base, 60 x 60 hole size, 9kg, Black	415 x 415 x 100	9.00	75	49
Fence Feet & Bases	Octagonal Base	5235	O326 Octagonal Base 42mm Hole Size, 25kg, Black	502 x 502 x 110	25.00	36	50
Fence Feet & Bases	Euro Base	1074	O221 Euro Base Fence & Sign Base, 42mm & 62mm hole sizes, 25kg, Black	790 x 390 x 122	25.00	36	51
TRAFFIC MANAGEMENT							
Road Signs	EnduraSign	5480	O424 EnduraSign QuickFit Frame, Black	35 x 800 x 870	3.30	50	54
Road Signs	EnduraSign	4805	O426 EnduraSign Ballast Weight, 10kg Black with Yellow HiViz Inserts	407 x 556 x 90	10.00	60	55
Traffic Cones	Highwayman Cones	708	O9102 Highwayman Road Cone 500mm with D2 reflective sleeve	285 x 285 x 500	2.50	400	56
Traffic Cones	Highwayman Cones	700	O9101 Highwayman Road Cone 750mm with D2 reflective sleeve	430 x 430 x 750	4.60	150	56
Traffic Cones	Highwayman Cones	691	O9100 Highwayman Road Cone 1000mm with D2 reflective sleeve	540 x 540 x 1000	7.00	100	56
Traffic Cones	Reflective	1415	O886 500mm D2 reflective sleeve only	200 x 5 (D)		500	56
Traffic Cones	Reflective	677	O887 750mm D2 reflective sleeve only	310 x 5 (D)		320	56
Traffic Cones	Reflective	676	O888 1000mm D2 reflective sleeve only	380 x 5 (D)		300	56
Traffic Cones	Cone Rope	2633	O9940 High-visibility Cone Rope with Break Points in Orange	18m		1	56
Traffic Cones	No Waiting Cones	704	O9200 No Waiting Road Cone Triangular Warden 550mm	365 x 400 x 550	3.60	200	57
Traffic Cones	No Waiting Cones	776	O9205 No Waiting Road Cone Conical 550mm	285 x 285 x 500	2.50	400	57

Category	Family	Ref	Description	Dimensions (mm) (L) x (W) x (H)	Weight (Kgs)	Pallet Quantity	Page
MATS AND GROUND PROTECTION							
Speed Bumps	EnduraRamp	779	O308 50mm EnduraRamp Speed Bump Inner Black	500 x 420 x 50	9.00	100	60
Speed Bumps	EnduraRamp	636	O310 50mm EnduraRamp Speed Bump End Black	210 x 420 x 50	3.50	120	60
Speed Bumps	EnduraRamp	3401	O376 50mm EnduraRamp Speed Bump Inner Yellow	500m x 420 x 50	9.00	100	60
Speed Bumps	EnduraRamp	3402	O377 50mm EnduraRamp Speed Bump End Yellow	210 x 420 x 50m	3.50	120	60
Speed Bumps	EnduraRamp	2483	O321 75mm EnduraRamp Speed Bump Inner Black	500 x 420 x 75	12.00	80	60
Speed Bumps	EnduraRamp	664	O323 75mm EnduraRamp Speed Bump End Black	210 x 420 x 75	4.50	100	60
Speed Bumps	EnduraRamp	3403	O378 75mm EnduraRamp Speed Bump Inner Yellow	500 x 420 x 75	12.00	80	60
Speed Bumps	EnduraRamp	3404	O379 75mm EnduraRamp Speed Bump End Yellow	210 x 420 x 75	4.50	100	60
Ground Protection	ClearPath Mat	988	O329 ClearPath Mat, Black	600 x 1200 x 22	20.00	30	61
Ground Protection	ClearPath Mat	2011	O329 ClearPath Mat, White	600 x 1200 x 22	20.00	30	61
Ground Protection	ClearPath Mat	2160	O329 ClearPath Mat, Yellow	600 x 1200 x 22	20.00	30	61
Ground Protection	EnduraMat	3572	O651 EnduraMat 2.4m x 1.2m Grey	2440 x 1220 x 12	32.00	20	62
Ground Protection	EnduraMat	3111	O652 EnduraMat Light Duty Metal Coupler - 2 way	95 x 132 x 3	0.20	1	62
Ground Protection	EnduraMat	3734	O648 EnduraMat Heavy Duty Metal Coupler - 4 way	178 x 178 x 8	2.00	1	62
Ground Protection	EnduraGrid	3463	O681 EnduraGrid Plastic Paver & Gravel Grid, Black	500 x 500 x 65	2.00	120	63
Ground Protection	EnduraGrid	3600	O684 EnduraGrid Car Park Line Marker, Yellow	69 x 69 x 68m	0.50	120	63



Contact us

OXFORD PLASTIC SYSTEMS LTD

Unit T2, Enstone Business Park
Enstone, Chipping Norton
Oxfordshire
OX7 4NP
United Kingdom



FIND YOUR NEAREST STOCKIST TODAY:

Call Us: +44 (0) 1608 678888

Email Us: sales@oxfordplastics.com

Find us online: www.oxfordplastics.com

